




Nice Ball Bearings CO,LTD

INA 2913 Ball Thrust Bearings



2913 Bearing 2D drawings and 3D CAD models

Bearing No. 2913

Size	65x90x20 mm
Bore Diameter	65 mm
Outer Diameter	90 mm
Width	20 mm
d	2,559 inch
d	65 mm
D	3,543 inch
D	90 mm
T	0,787 inch
T	20 mm
D ₁	65,202 mm
D ₁	2,567 inch
m	0,919 lbs / Weight
m	0,417 kg / Weight
C _a	9700 lbf / Dynamic load rating (axial)
C _a	43000 N / Dynamic load rating (axial)
C _{0a}	25000 lbf / Static load rating (axial)
C _{0a}	111000 N / Static load rating (axial)
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.42



Nice Ball Bearings CO,LTD

Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row Deep Groove Light Cross Section Grooved Race Separable 3 Piece Ball
Long Description	65MM Bore 1; 65.202MM Bore 2; 90MM Outside Diameter; 20MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171507
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	2913AKL
Weight / LBS	0.919
Height	0.787 Inch 20 Millimeter
Bore 2	2.567 Inch 65.202 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
Bore 1	2.559 Inch 65 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter



Nice Ball Bearings CO,LTD